Deck Requirements & Checklist

Kendall County 807 West John Street Yorkville, IL 60560 630-553-4141 kendallcountyil.gov

Complete checklist and submit **THREE** copies along with a permit application.

The other requirement is **TWO** copies of your plat of survey indicating the following:

- 1) Location & dimensions of the deck.
- 2) Location of all other structures on the lot.
- Distance from the deck to all lot lines and nearby structures.

Permit 150.00

Zoning Certificate 50.00

TOTAL Cost for Deck Permit \$200.00

 (Any wood within 6" of the ground must be decay resistant. Decay resistant wood is preferred in all deck construction.) What is the height of the deck floor above the finished grade of the yard?	
resistant wood is preferred in all deck construction.) What is the height of the deck floor above the finished grade of the yard?	
yard?	/
 4) What is the size and spacing of floor joists?Xspaced	ie
 5) What is the size and spacing of posts? X spaced	s)
 (12"minimum diameter and minimum 42" below grade) 7) What are the size and spans of header beams?Xspan_ 8) Is the deck attached to the house? Yes No If yes, what type flashing is being used? 9) What is the height of the guardrail? (Minimum 36" high is reddeck is 30" or more above grade) 10) What is the spacing of guardrail intermediate enclosures? (Maximum 7 34") 11) What is the height of the stair riser? (Maximum 7 34") 12) What is the width of the stair tread? (Minimum 10") 13) Is a stair handrail provided? Yes No (Handrail required for 3 more risers) 14) What is the spacing of stair guardrail intermediate enclosures? 	
 (12"minimum diameter and minimum 42" below grade) 7) What are the size and spans of header beams? X span 8) Is the deck attached to the house? Yes No If yes, what type flashing is being used? 9) What is the height of the guardrail? (Minimum 36" high is reduced is 30" or more above grade) 10) What is the spacing of guardrail intermediate enclosures? (Minimum 10") 11) What is the height of the stair riser? (Maximum 7 ¾") 12) What is the width of the stair tread? (Minimum 10") 13) Is a stair handrail provided? Yes No (Handrail required for 3 more risers) 14) What is the spacing of stair guardrail intermediate enclosures? 	apart.
 7) What are the size and spans of header beams? X span 8) Is the deck attached to the house? Yes No If yes, what type flashing is being used? 9) What is the height of the guardrail? (Minimum 36" high is reduck is 30" or more above grade) 10) What is the spacing of guardrail intermediate enclosures? (Maximum 7 of the stair riser) is a 4" sphere. 11) What is the height of the stair riser? (Maximum 7 of the stair tread? (Minimum 10") 12) What is the width of the stair tread? (Minimum 10") 13) Is a stair handrail provided? Yes No (Handrail required for simple provided of the stair guardrail intermediate enclosures? 	_
 8) Is the deck attached to the house? Yes No If yes, what type flashing is being used? 9) What is the height of the guardrail? (Minimum 36" high is reduced is 30" or more above grade) 10) What is the spacing of guardrail intermediate enclosures? (Minimum 10") 11) What is the height of the stair riser? (Maximum 7 ¾") 12) What is the width of the stair tread? (Minimum 10") 13) Is a stair handrail provided? Yes No (Handrail required for 3 more risers) 14) What is the spacing of stair guardrail intermediate enclosures? 	
flashing is being used? (Minimum 36" high is red deck is 30" or more above grade) 10) What is the spacing of guardrail intermediate enclosures? (Maclear opening between enclosures is a 4" sphere) 11) What is the height of the stair riser? (Maximum 7 ¾") 12) What is the width of the stair tread? (Minimum 10") 13) Is a stair handrail provided? Yes No (Handrail required for 3 more risers) 14) What is the spacing of stair guardrail intermediate enclosures?	
 deck is 30" or more above grade) 10) What is the spacing of guardrail intermediate enclosures? (Moderate opening between enclosures is a 4" sphere) 11) What is the height of the stair riser? (Maximum 7 ¾") 12) What is the width of the stair tread? (Minimum 10") 13) Is a stair handrail provided? Yes No (Handrail required for 3 more risers) 14) What is the spacing of stair guardrail intermediate enclosures? 	e of
clear opening between enclosures is a 4" sphere) 11) What is the height of the stair riser? (Maximum 7 ¾") 12) What is the width of the stair tread? (Minimum 10") 13) Is a stair handrail provided? Yes No (Handrail required for 3 more risers) 14) What is the spacing of stair guardrail intermediate enclosures?	quired if
 12) What is the width of the stair tread? (Minimum 10") 13) Is a stair handrail provided? Yes No (Handrail required for 3 more risers) 14) What is the spacing of stair guardrail intermediate enclosures? 	aximum
 13) Is a stair handrail provided? Yes No (Handrail required for 3 more risers) 14) What is the spacing of stair guardrail intermediate enclosures? 	
more risers) 14) What is the spacing of stair guardrail intermediate enclosures?	
	3 or
15) The maximum spacing is a 6" sphere for the triangle formed by th bottom of deck railing and risers.	e
We do not have the authority to enforce the covenants or adopted rule Homeowner's Association in Unincorporated Kendall County.	s of any

CLIECKLICT





